# 380 Nitrile Foam Grip





RECOMMENDED FOR THESE RISKS: Grip Light assembly RECOMMENDED FOR THESE LINES OF WORK:

> Automotive Construction

Maritime sector

Petrochemical

## Antiskid nylon knit Microporous nitrile coating

### DESCRIPTION

- Coated palm
- Elasticated cuff
- Foamed embossed finish
- Without special treatment
- Anatomical shape
- Seamless knit


### BENEFITS

- A light, elastic low-lint glove, resistant to deformation and which keeps its shape longer
- Optimal long lasting grip in dry, light oily and oil submersion situations
- · Breathable back of hand to reduce perspiration
- Surface encourages grease removal
- · Minimal allergy risks
- · Designed for easy movement and continuous wear
- No irritation by seams in contact with the skin
- · Low-soil colour

AVAILABLE SIZES	6/S • 7/M • 8/L • 9/XL
LENGTH Dependent on size, in mm (flat)	220-260
PACKAGING Pairs per pack/box	10/120
COLOUR OF SUPPORT/COATING	Blue/black

#### **RECOMMENDATIONS FOR USE**

- · Do not use in cases of chemical, electrical or thermal risk
- Store away from light and humidity
- Wash at 40
- Performance levels as per standard EN388 retained after 3 washes, subject to variations linked to actual usage conditions.



TEARING PUNCTURE 0 1 <u>2</u> 3 4 0 <u>1</u> 2 3 4

ABRASION CUTTING 012<u>3</u>4 0<u>1</u>2345

[Updated 13/10/11]

EC compliance certificate delivered by the notified body 0072 IFTH - Institut Français du Textile et de l'Habillement Avenue Guy de Collongue - 69134 Ecully Cedex - France

### SHOWA BEST GLOVE

Tour Franklin - La Défense 8 - 92042 Paris La Défense Cedex - France Tel. +33 (0)1 55 62 14 20 - Fax +33 (0)1 55 62 14 29 info@showabestglove.eu - www.showabestglove.eu

The descriptions, characteristics, applications and photos are given for information purposes and do not constitute a contractual commitment. The manufacturer reserves the right to make any modifications it deems necessary.

